

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/814,148	04/01/2004	Geun-Young Yeom	061887-0119	7343
22428 75	90 08/19/2004		EXAMINER	
FOLEY AND SUITE 500	LARDNER		BERMAN	I, JACK I
3000 K STREE	TNW		ART UNIT	PAPER NUMBER
WASHINGTON, DC 20007		2881		
			DATE MAILED: 08/19/2004	4

Please find below and/or attached an Office communication concerning this application or proceeding.

. /	
U	
W	
Y	

	Application No.	Applicant(s)	
Office Action O	10/814,148	YEOM ET AL.	
Office Action Summary	Examiner	Art Unit	
	Jack I. Berman	2881	
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address	
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	within the statutory minimum of thirty (30) days ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).	
Status			
1) Responsive to communication(s) filed on	 '		
2a) ☐ This action is FINAL . 2b) ☒ This	action is non-final.		
3) Since this application is in condition for allowar	ice except for formal matters, pro	secution as to the merits is	
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	33 O.G. 213.	
Disposition of Claims			
4) Claim(s) <u>1-6</u> is/are pending in the application.			
4a) Of the above claim(s) is/are withdraw	vn from consideration.		
5) Claim(s) is/are allowed.			
6)⊠ Claim(s) <u>1</u> is/are rejected.			
7)⊠ Claim(s) <u>2-6</u> is/are objected to.			
8) Claim(s) are subject to restriction and/or	election requirement.		
Application Papers			
9) The specification is objected to by the Examine	r.		
10)⊠ The drawing(s) filed on 01 April 2004 is/are: a)	\square accepted or b) $oxtimes$ objected to l	by the Examiner.	
Applicant may not request that any objection to the	drawing(s) be held in abeyance. See	e 37 CFR 1.85(a).	
Replacement drawing sheet(s) including the correct			
11)☐ The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form PTO-152.	
Priority under 35 U.S.C. § 119			
12)⊠ Acknowledgment is made of a claim for foreign	priority under 35 U.S.C. § 119(a)	-(d) or (f).	
 a) All b) Some * c) None of: 1. Certified copies of the priority documents 	s have been received		
2. ☐ Certified copies of the priority documents		on No.	
3. ☐ Copies of the certified copies of the prior	· ·		
application from the International Bureau		•	
* See the attached detailed Office action for a list	of the certified copies not receive	d.	
A44h4/-h			
Attachment(s) 1) X Notice of References Cited (PTO-892)	4) Interview Summary	(PTO-413)	
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Da	ate	
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 4/1/04.	5) Notice of Informal F 6) Other:	atent Application (PTO-152)	

Application/Control Number: 10/814,148

Art Unit: 2881

Figures 1, 2A and 2B should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.121(d)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claim 1 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ichimura et al. in view of Albridge, Jr. et al. Ichimura et al. discloses a 3-grid neutral beam source comprising a plasma generating chamber (1), a grid assembly including first to third grids (3a, 3b, 3c) which

Page 3

are sequentially overlapped with each other by interposing an insulation material (7) therebetween for obtaining a great amount of ion flux at a low ion energy (due to decelerating electrode 3c) and a neutralization cell (11). Ichimura et al. does not disclose the use of a reflective member for converting an ion beam into a neutral beam by reflecting the ion beam, but Albridge, Jr. et al. discloses precisely this. The substitution of Albridge, Jr. et al.'s reflective member for converting an ion beam into a neutral beam by reflecting the ion beam for Ichimura et al.'s neutralization cell would therefore have been an obvious substitution of known equivalents.

Claims 2-6 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

The following is a statement of reasons for the indication of allowable subject matter:

While Ichimura et al. does teach to apply a positive potential to the first grid, nothing in the prior art suggests connecting the second grid to ground or the third grid to a positive potential that is different from that applied to the first grid.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jack I. Berman whose telephone number is (571) 272-2468. The examiner can normally be reached on M-F (8:30-6:00) with every second Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John R. Lee can be reached on (571) 272-2477. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2881

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jack I. Berman
Primary Examiner
Art Unit 2881

jb 8/18/04